

This document was generated on 04/29/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 11-03-0006
Status: Active
Description: Extraction Tool

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series T9999
Function Extraction
Geographic Area Global
Level of Automation Manual

More Detailed Tech Information applicationtooling@molex.com

Product Name N/A

Survey <u>www.molex.com//review/apptool_survey.html</u>

Handtool 800753609495

Material Info

Tool Type

UPC

Old Part Number HT2038

Reference - Drawing Numbers

Application Tooling Documents ATS-011030006, TM-638000029, TM-638000029CN,

TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029PL, TM-638000029SP, TM-638000029TH, TM-638000029TW,

TM-638000029VN

Series image - Reference only

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Low-Halogen Status
Not Reviewed

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, click here

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

T9999Series

Use With

Loose Piece Terminals

Application Tooling | FAQ Description | Product

2.36mm Diameter, 0039000302

Standard .093" Pin and Socket

Crimp Terminal,

Series 1380, Male, with Tin (Sn) over

Copper Plated Brass

Contact, 18-24 AWG,

Bag

Claspcon[™] Crimp 0002081101

Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG,

Reel

Claspcon[™] Crimp 0002081102

Terminal Socket, Tin (Sn) Plated Brass

Contact, 16-24 AWG, Bag 2.36mm Diameter, 0002091117 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter 0002091118 Standard .093" Crimp Terminal, Dimpled Female, 18-22 AWG, Bag 2.36mm Diameter, 0002091119 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 0002091123 Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag 2.36mm Diameter, 0002092101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002092103 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 0002092116 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002092118 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag

2.36mm Diameter, 0002092611 Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel 2.36mm Diameter, 0002098103 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002098104 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 0002098108 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel 2.36mm Diameter, 0002098109 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Bag 2.36mm Diameter, 0039000281 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 14-20 AWG, Reel 2.36mm Diameter, 0039000282 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 14-20 AWG, Reel, with Dimple 2.36mm Diameter, 0039000285 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) over

Copper Plated Brass Contact, 18-24 AWG, Reel, with Dimple 2.36mm Diameter, 0039000289 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 14-20 AWG, Bag 2.36mm Diameter, 0039000295 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) over **Nickel Plated Brass** Contact, 14-20 AWG, Bag 2.36mm Diameter, 0039000296 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) over **Copper Plated Brass** Contact, 14-20 AWG, Reel 2.36mm Diameter, 0039000297 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) over **Copper Plated Brass** Contact, 14-20 AWG, Bag 2.36mm Diameter, 0039000307 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 18-24 AWG, Bag, with Dimple 2.36mm Diameter, 0039000315 Standard .093" Pin and Socket Crimp Terminal, Series 1433, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 24-28 AWG, Reel, with Dimple 2.36mm Diameter, 0039000316 Standard .093" Pin and Socket Crimp Terminal, Series 1433, Female, with Tin (Sn) over

Copper Plated Brass

Contact, 24-28 AWG, Bag, with Dimple 2.36mm Diameter, 0039000322 Standard .093" Pin and Socket Crimp Terminal, Series 1433, Female, with Gold (Au) over **Nickel Plated Brass** Contact, 24-28 AWG, Bag 2.36mm Diameter, 0039000317 Standard .093" Pin and Socket Crimp Terminal, Series 1433, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 24-28 AWG, Reel 2.36mm Diameter, 0039000284 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 18-24 AWG, Reel 2.36mm Diameter, 0039000308 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) over Copper Plated Brass Contact, 18-24 AWG, Bag 2.36mm Diameter, 0039000318 Standard .093" Pin and Socket Crimp Terminal, Series 1433, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 24-28 AWG, Bag 2.36mm Diameter, 0039000323 Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Tin (Sn) over **Copper Plated Brass** Contact, 24-28 AWG, Reel 2.36mm Diameter, 0039000324 Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Tin (Sn) over Copper Plated Brass Contact, 24-28 AWG, Bag

2.36mm Diameter, 0039000325 Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Gold (Au) over Nickel Plated Brass Contact, 24-28 AWG, Reel 2.36mm Diameter, 0039000326 Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Gold (Au) over Nickel Plated Brass Contact, 24-28 AWG, Bag 2.36mm Diameter, 0002096122 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002096125 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002091122 Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel 2.36mm Diameter, 0002091615 Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel 2.36mm Diameter, 0002095143 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002095102 Standard .093" Pin

and Socket Crimp

Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002095111 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, 2.36mm Diameter, 0002091102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002096123 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 0002096126 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 0002096100 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002095100 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002096106 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20

AWG, Bag

2.36mm Diameter, 0002095106 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 0002095130 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel

This document was generated on 04/29/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION