

MINI-BAT/24DC/0.8AH

Order No.: 2866666



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2866666>

Rechargeable battery module, 24 V DC, 0.8 Ah, for use with DC-UPS/2A

Commercial data

EAN	4046356152129
sales group	H061
Pack	1 pcs.
Customs tariff	85072098
Weight/Piece	0.8771 KG
Catalog page information	Page 592 (IF-2009)

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Input data

Nominal input voltage	24 V DC
-----------------------	---------

Output data

Nominal output voltage	24 V DC
Output current	max. 5 A
Connection in series	No
Output fuse	5 A


General data

Width	67.5 mm
-------	---------

Height	99 mm
Depth	107 mm
Weight	0.9 kg
Degree of protection	IP20
Class of protection	III
Ambient temperature (operation)	0 °C ... 40 °C
Ambient temperature (storage/transport)	0 °C ... 40 °C

Diagrams/Drawings

Block diagram



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;