

Screwdriver - ST-BW - 1207608

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Actuation tool, for all 2.5 mm² - 4.0 mm² spring-cages

Product Features

In addition to its standard application, this screwdriver is also ideal for actuating ST ... and QTC ... modular terminal blocks



Key commercial data

Packing unit	1 1
Weight per Piece (excluding packing)	33.82 GRM
Custom tariff number	82054000
Country of origin	Germany

Technical data

Dimensions

Length (b)	160 mm
------------	--------

Classifications

eCl@ss

eCl@ss 4.0	21040401
eCl@ss 4.1	21040401
eCl@ss 5.0	21040401
eCl@ss 5.1	21040401
eCl@ss 6.0	21040401
eCl@ss 7.0	21040409
eCl@ss 8.0	21040409

Screwdriver - ST-BW - 1207608

Classifications

ETIM

ETIM 2.0	EC000158
ETIM 3.0	EC000158
ETIM 4.0	EC000158
ETIM 5.0	EC000158

UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

Approvals

Approvals



Approvals

GOST / GOST

Ex Approvals

Approvals submitted

Approval details



Drawings

Screwdriver - ST-BW - 1207608

Pictogram

