

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [11-03-0006](#)
Status: **Active**
Description: Extraction Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T0201
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	800753609495

Material Info

Old Part Number HT2038

Reference - Drawing Numbers

Application Tooling Documents
ATS-011030006, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN



EU RoHS

ELV and RoHS Compliant

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T0201Series

Use With

Loose Piece Terminals

Application Tooling | FAQ

Description	Product #
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	0002095133
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low	0002091122

Engagement Force, 18-22 AWG, Reel 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	0002091123
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	0002096106
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	0002096110
2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Bag	0002098109
2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel	0002098108
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	0002096101
Claspcn™ Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel	0002081101
Claspcn™ Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Bag	0002081102
2.36mm Diameter, Standard .093" Pin	0002091102

and Socket Crimp
Terminal, Series
1189, Female, with
Tin (Sn) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0002091104
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Tin (Sn) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0002091117
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Tin (Sn) Plated Brass
Contact, 18-22 AWG,
Reel
2.36mm Diameter 0002091118
Standard .093"
Crimp Terminal,
Dimpled Female,
18-22 AWG, Bag
2.36mm Diameter, 0002091119
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Tin (Sn) Plated Brass
Contact, 18-22 AWG,
Bag
2.36mm Diameter, 0002091615
Standard .093"
Pin and Socket
Crimp Terminal,
Series 42477,
Female, with Tin
(Sn) Plated Contact,
High Current/Low
Engagement Force,
14-18 AWG, Reel
2.36mm Diameter, 0002092101
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0002092103
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0002092116
Standard .093" Pin
and Socket Crimp
Terminal, Series

1380, Male, with Tin
(Sn) Plated Brass
Contact, 18-22 AWG,
Reel
2.36mm Diameter, 0002092118
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with Tin
(Sn) Plated Brass
Contact, 18-22 AWG,
Bag
2.36mm Diameter, 0002092611
Standard .093" Pin
and Socket Crimp
Terminal, Series
42478, Male, with Tin
(Sn) Plated Contact,
High Current/Low
Engagement Force,
14-18 AWG, Reel
2.36mm Diameter, 0002095100
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Reel
2.36mm Diameter, 0002095102
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0002095106
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Bag
2.36mm Diameter, 0002095111
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0002095130
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Selective Gold
(Au) Plated Brass
Contact, 18-22 AWG,
Reel

2.36mm Diameter, 0002095142
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Gold (Au) Plated
Brass Contact, 18-22
AWG, Bag

2.36mm Diameter, 0002095143
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Gold (Au) Plated
Brass Contact, 18-22
AWG, Reel

2.36mm Diameter, 0002096100
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Reel

2.36mm Diameter, 0002096122
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Gold (Au) Plated
Brass Contact, 18-22
AWG, Reel

2.36mm Diameter, 0002096123
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Gold (Au) Plated
Brass Contact, 18-22
AWG, Bag

2.36mm Diameter, 0002096125
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Selective Gold
(Au) Plated Brass
Contact, 18-22 AWG,
Reel

2.36mm Diameter, 0002096126
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Selective Gold
(Au) Plated Brass
Contact, 18-22 AWG,
Bag

2.36mm Diameter, 0002098103
Standard .093" Pin
and Socket Crimp
Grounding Terminal,
Series 1973, Male,
with Tin (Sn) Plated

Brass Contact, 18-22
AWG, Reel
2.36mm Diameter, 0002098104
Standard .093" Pin
and Socket Crimp
Grounding Terminal,
Series 1973, Male,
with Tin (Sn) Plated
Brass Contact, 18-22
AWG, Bag
2.36mm Diameter, 0039000281
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0039000282
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Reel, with Dimple
2.36mm Diameter, 0039000284
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Reel
2.36mm Diameter, 0039000285
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Reel, with Dimple
2.36mm Diameter, 0039000289
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0039000295
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) over
Nickel Plated Brass
Contact, 14-20 AWG,
Bag

2.36mm Diameter, 0039000296
Standard .093"
Pin and Socket
Crimp Terminal,
Series 1190, Male,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Reel

2.36mm Diameter, 0039000297
Standard .093"
Pin and Socket
Crimp Terminal,
Series 1190, Male,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Bag

2.36mm Diameter, 0039000302
Standard .093"
Pin and Socket
Crimp Terminal,
Series 1380, Male,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Bag

2.36mm Diameter, 0039000307
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Bag, with Dimple

2.36mm Diameter, 0039000308
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Bag

2.36mm Diameter, 0039000315
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Reel, with Dimple

2.36mm Diameter, 0039000316
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Bag, with Dimple

2.36mm Diameter, 0039000317
Standard .093" Pin

and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Reel
2.36mm Diameter, 0039000318
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Bag

This document was generated on 12/12/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

onlinecomponents.com