


1542618-2 Product Details

[Share](#) [Print](#) [Email](#)



1542618-2

TE Internal Number: 1542618-2
✔ Active

[View 3D PDF](#)

Heat Sink Assemblies

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Heat Sink
- XFP
- For Use With XFP, MSA SAN
- Height = 6.50 mm
- Heat Sink Type = Pin Fin

[View all Features](#)

Quick Links

- ▶ Pricing & Availability
- ▶ Search for Tooling
- ▶ View Cages (4)
- ▶ Product Feature Selector
- ▶ Contact Us About This Product

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [XFP, MSA SAN APPLICATION HEATSINK 6.5mm TALL](#) (PDF, English)

Catalog Pages/Data Sheets:

- [1773408-1 Pluggable Input/Output Solutions catalog -...](#) (PDF, English)

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files: [\(CAD Format & Compression Information\)](#)

- [2D Drawing](#) (DXF, Version L)
- [3D Model](#) (IGES, Version L)
- [3D Model](#) (STEP, Version L)

[List all Documents](#)

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)
- [Cages \(4\)](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Heat Sink
- [Device Type](#) = XFP
- [Heat Sink Type](#) = Pin Fin
- [Finish](#) = Nickel

Dimensions:

- [Height \(mm \[in\]\)](#) = 6.50 [0.256]

Body Features:

- [Material](#) = Aluminum, Cold-Forged Aluminum

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- [RoHS/ELV Compliance History](#) = Always was RoHS compliant

Conditions for Usage:

- [For Use With](#) = XFP, MSA SAN

Other:

- [Brand](#) = TE Connectivity
- [Line](#) = ChipCoolers

Corporate Information

[About TE](#)
[Investors](#)
[News Room](#)
[Supplier Portal](#)
[Careers](#)
[Terms & Conditions](#)
[Privacy Policy](#)

Quick Links

[Distributor Inventory](#)
[Product Cross Reference](#)
[Documents & Drawings](#)
[Product Compliance Support Center](#)
[Site Map](#)

Customer Support


[Email or Chat With Us](#)
[Find a Phone Number](#)
[Knowledge Base](#)
[Manage Your Account](#)

Keep Me Informed






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 2011 ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
	K1	REVISED PER ECO-11-005294	07APR2011	RK	HMR		



NOTES: UNLESS OTHERWISE SPECIFIED:
 1. INTERPRET DRAWING PER ASME Y14.5M - 1994.



SCALE = 2X

1542618-2
 TE CONNECTIVITY
 PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: E. TAO 3-26-03	TE Connectivity	
		CHK: S. G 3-16-03		
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± .5 1 PLC ± .20 2 PLC ± .10 3 PLC ± .10 4 PLC ± .10 ANGLES ± 1° FINISH		NAME: XFP. MSA SAN APPLICATION HEATSINK 6.5mm TALL
MATERIAL: 6063-T5 ALUMINUM	ELECTROLESS NICKEL	PRODUCT SPEC: -	APPLICATION SPEC: -	RESTRICTED TO: -
CUSTOMER DRAWING		WEIGHT: -	SIZE: A2	CAGE CODE: -
		DRAWING NO: 1542618	SCALE: 4:1 SHEET 1 OF 1 REV K1	