



**EMC Subracks / DIN Module Subracks
Subracks for Card Retainers / Levers**

VectorPak™ CG4 card guides are fairly straight, non-keyable type intended for use with card retainers for our DIN modules. 3U and 6U standard and up to 400mm depth. More information on our DIN modules can be found at www.vectorelect.com VECTORPAK™ SUBRACKS DIN Module Subracks.



CCA46 to CCA57 for card retainers or DIN Modules

DIN Subracks



Subrack Ordering Information

CCX XX - XX - XX

Model Numbers

A = assembled subracks
K = unassembled flat-packed kit

Module or Card Length / Sidewall Depth

3U
46 = 160mm; 8.5"
47 = 160mm; 12.0"
51 = 220mm; 12.0"
50 = 280mm; 15.0"
54 = 340mm; 16.0"
55 = 400mm; 18.0"

6U
48 = 160mm; 10.0"
49 = 160mm; 12.0"
52 = 220mm; 12.0"
53 = 280mm; 15.0"
56 = 340mm; 16.0"
57 = 400mm; 18.0"

Covers (Optional)

01 = Top & bottom, vented
02 = Rear fixed
03 = Both '01' & '02'
04 = Custom
05 = Solid Top & Bottom

Inside Width

(not including flanges)

36 = 36HP [7.4"]
44 = 44HP [9.0"]
64 = 64HP [13.0"]
84 = 84HP [17.0"]

Module Ordering Information

EMA XXX - XX - XX

Depth

160mm = Module depth 6.560"
220mm = Module depth 8.922"
280mm = Module depth 11.284"
340mm = Module depth 13.647"
400mm = Module depth 16.009"

Height


3U = Module Height 5.060"
6U = Module Height 10.310"

Width in HP

06 = 6HP (1.2")
15 = 15HP (3.0")
23 = 23HP (4.6")
42 = 42HP (8.4")
56 = 56HP (11.2")

PCB Retainers and Ejector Levers For Use Without Front Panels





To secure and extract PCB's without front panels. Optional card ejector levers attach to 0.062" th PCB's. Intended for use with VectorPak™ CCA46 through CCA57 series subracks for non-keyable card guides.



P/N.	Description
CG4-160/12	12 straight, non-keyable card guides with retainers, 160mm cards
CG4-220/12	12 straight, non-keyable card guides with retainers, 220mm cards
CG3-160S/12	12 straight non-keyable card guides only
CG4-RET/12	Card guide retainers only, pack of 12
CG4-LEJ/12	Card guide levers, ejector pull-type, pack of 12



REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
ALL	A	INITIAL RELEASE	06/15/10	



- ONLY FRONT VISIBLE SURFACES OF MODULES WILL BE PAINTED WITH SPECIFIED RAL NO.
- FINISH FOR STEEL PARTS
ZINC PLATE PER ASTM-B-633, CLASS 3, TYPE I
- FINISH FOR ALUMINUM PARTS
SATIN ETCH, 7 MIN, CLEAR CHEM FILM, CLASS IA
IAW MIL-C-5541

NOTES : UNLESS OTHERWISE SPECIFIED

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VECTOR ELECTRONICS & TECH., INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF VECTOR ELECTRONICS & TECH., INC. IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES:
DEC .X ±.050
DEC .XX ±.030
DEC .XXX ±.010
FRACTIONS ±.050
ANGLES ± ±.5°

MATERIAL
FINISH



APPROVALS	NAME	DATE
DRAWN	TRUSHAR	06/15/10
CHECKED		
ENGINEER		
QA		

THIRD ANGLE PROJECTION

VECTOR 11115 VANOWEN ST.,
ELECTRONICS & TECHNOLOGY, INC. NORTH HOLLYWOOD, CA 91605

DIN MODULE SUBRACK

SIZE D	DWG. NO. 72-1428	REV A
SCALE: 1:2	CAGE CODE: 82893	SHEET 1 OF 3



ORDERING INFO.



OPTIONAL
4 DIGIT RAL NO. FOR PAINT SPEC.
NONE - FOR CLEAR CHEM. FINISH

EMA XXX - XX - XX - XXXX

DEPTH
160 = MODULE DEPTH 6.560"
220 = MODULE DEPTH 8.922"
280 = MODULE DEPTH 11.284"

HEIGHT
3U = MODULE HEIGHT 5.067"
6U = MODULE HEIGHT 10.317"

WIDTH IN HP
1 HP = 0.200"
FROM 04 HP TO 84 HP



SHOWN EMA160-3U-23

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VECTOR ELECTRONICS & TECH., INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF VECTOR ELECTRONICS & TECH., INC. IS PROHIBITED.

VECTOR 11115 VANOWEN ST.,
ELECTRONICS & TECHNOLOGY, INC. NORTH HOLLYWOOD, CA 91605

DIN MODULE SUBRACK

SIZE	DWG. NO.	REV
D	72-1428	A
SCALE: 1:2	CAGE CODE: 82893	SHEET 2

8 7 6 5 4 3 2 1

D

D

C


C

B

B

A

A



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VECTOR ELECTRONICS & TECH., INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF VECTOR ELECTRONICS & TECH., INC. IS PROHIBITED.

VECTOR 11115 VANOWEN ST.,
ELECTRONICS & TECHNOLOGY, INC CA 91605
NORTH HOLLYWOOD,

DIN MODULE SUBRACK

SIZE	DWG. NO.	REV
D	72-1428	A
SCALE: 1:4	CAGE CODE: 82893	SHEET 3

8 7 6 5 4 3 2 1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Vector:

[EMA160-3U-15](#)