












G-G
(SIGNAL POSITION)
(SCALE 8:1)



F-F
(GROUND POSITION)
(SCALE 8:1)

45.8	44.6	48.7	44	41.4	140	4-5353190-0		
33.8	32.6	36.7	32	29.4	100	3-	↑	-8
51.8	50.6	54.7	50	47.4	160	1-		-1 & 6-5353190-1
45.8	44.6	48.7	44	41.4	140	1-		-0 & 6-↑ -0
39.8	38.6	42.7	38	35.4	120			-9 & 5- -9
33.8	32.6	36.7	32	29.4	100			-8 & 5- -8
30.8	29.6	33.7	29	26.4	90			-7 & 5- -7
27.8	26.6	30.7	26	23.4	80			-6 & 5- -6
24.8	23.6	27.7	23	20.4	70			-5 & 5- -5
21.8	20.6	24.7	20	17.4	60			-4 & 5- -4
18.8	17.6	21.7	17	14.4	50			-3 & 5- -3
15.8	14.6	18.7	14	11.4	40			-2 & 5- -2
12.8	11.6	15.7	11	8.4	30	5353190-1 & 5-5353190-1		
E	D	C	B	A	POS	△ PART NO.		

THIS DRAWING IS A CONTROLLED DOCUMENT



MATERIAL 材料	
----------------	--

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0	PLC	± 0.3
1	PLC	± 0.3
2	PLC	± 0.3
3	PLC	± 0.3
4	PLC	± 0.3

	FINISH 仕上
--	--------------

CUSTOMER DRAWING

A



TE Connectivity

A

000779

C-53

SCALE	4
尺度	

SCALE
尺度 4:1

SHEET 2 OF 3

REV	D
-----	---

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

JUN ,1996.

© COPYRIGHT 1996 By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

DESCRIPTION

DATE

DWN

APVD

P

LTR

SEE SHEET 1

-

-

-

80P

60P

30P

100P

40P

50P

120P

70P

140P

160P

△1 MATERIAL : HOUSING : HIGH TEMP THERMO PLASTIC, UL94V-0

CONTACT : COPPER ALLOY

△2 FINISH : UNDER PL Ni 0.0013mm MIN ALL OVER.

CONTACT AREA 0.0002mm MIN Au PL.

SOLDERING AREA: SIGNAL POS 0.00005mm MIN Au PL.

GROUND POS 0.001mm MIN TIN PL.

△3 THIS POSITION IS GROUND CIRCUIT.

△4 PACKING ASSY DWG SEE SHEET 1.

△5 THIS PRODUCT WAS COATED BY FLUX-PENETRATION

-INHIDITING AGENT.

△6 FINISH : UNDER PL Ni 0.0013mm MIN ALL OVER.

CONTACT AREA 0.00076mm MIN Au PL.

SOLDERING AREA: SIGNAL POS 0.00005mm MIN Au PL.

GROUND POS 0.001mm MIN TIN PL.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:

単位: 耗

mm

TOLERANCES UNLESS

OTHERWISE SPECIFIED:

一般公差

0 PLC ± 0.3

1 PLC ± 0.3

2 PLC ± 0.3

3 PLC ± 0.3

4 PLC ± 0.3

ANGLES ± 3°

MATERIAL

材料

FINISH

仕上

NAME

名称

EMBOSS ASSY

FH 0.6BTB CONNECTOR

REC 4H WITH G-CONTACT

SIZE

CAGE CODE

DRAWING NO

番号

RESTRICTED TO

SCALE

尺度

3:1

SHEET

3 OF 3

REV

D3

A300779

C-5353190

-