




1	HOUSING MATERIAL:
2.	POST MATERIAL: B
3	POST FINISH: DIN TIN-LEAD PLATE ON
4	POST FINISH: DIN TIN-LEAD PLATE ON
5	RECOMMENDED HOLE Connector onto p
6	AMP PART NUMBER,









	^										
2	, /8	1-32			Х	Х	Х	96	7-650473-5		
1	4	1-32			X	X	X	96	2-650473-5		
1	-3		1-32			X	X	96	650473-9		
1	4		1-32			Х	Х	96	650473-5		
SING	FINISH	PO	SITIONS LOAI	DED	С	B	A	NO. OF LOADED	PART N	UMBER	
ERIAL	-				ROW	is loa	ADED				
A CON	CONTROLLED DOCUMENT. CONTROLLED DOCUMENT. CHK 22FEB91 D.C. RUBENDALL					TE Connectivity					
1	TOLERANCES UNI OTHERWISE SPEC PLC ± – PLC ± – PLC ± –		D. REBENDALL PRODUCT SPEC	26MAY92	pin Assembly, Eurocard, type c						
4	PLC ± 0.13 PLC ± - GLES ±	[.005] _	APPLICATION SPEC		SIZE C		DRAWING NC			RESTRICTED TO	
ES FII	NISH SEE TABLE		WEIGHT		A1 0	0779	<b>C-</b> 65	0473			
	CUSTOMER DE							scale 5:1	SHEET OF	1 REV 1 N 1	

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 650473-5