


- NOTES:
- MATERIALS AND FINISHES(PLATING THICKNESS IN MICRO-INCHES):
 BODY - BRASS & ZINC DIECAST, NICKEL PLATING
 CONTACT - BRASS & PHOSPHOR BRONZE, GOLD PLATING
 INSULATOR - DELRIN, NATURAL
 - ELECTRICAL:
 A. IMPEDANCE: 50 OHM
 B. FREQUENCY RANGE: DC 0-4 GHz
 C. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS, MIN.
 - MECHANICAL:
 A. DURABILITY: 500 CYCLES MIN.
 B. TEMPERATURE RANGE: - 40°C to +85°C

THIRD ANGLE PROJ.

REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
D1	ADDED DRAWING NO.\N/A	24-Feb-00		
E	STAMP FOR ITEM 1 WAS CHANGED\RD-DW080528D1T	27-Jun-08		SH
F	SEE SHEET 1	6-Jun-10	47921	



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm ±0.05mm 0.5 - 6mm ±0.1mm 6 - 30mm ±0.2mm 30 - 120mm ±0.3mm ANGLES ±1°	MATERIAL	DRAWN T.DENG DATE 06-Jan-10	TITLE	BNC TEE ADAPTOR JACK - PLUG - JACK UG274A/U TYPE, 50 OHM		Amphenol RF Danbury CT USA, Tainan Taiwan, Shenzhen China www.amphenolrf.com	
	REFERENCE	ENGINEER C.WANG DATE 06-Jan-10	APPROVED S.HSIEH DATE 06-Jan-10	SCALE: 3/1 SHEET 2 OF 2	DRAWING NO. 31-208-ND3G-50		
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are given by Amphenol Corp., or to any other person than those to whom they are given by Amphenol Corp., or to any other person in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	FINISH	CAD FILE F:\DWG\APL\CNPD\RF\31\208\ND3G-FSZ	DWG SIZE B	CODE ID 74868	REV F	ITEM NO. 31-208-ND3G-50 PART NO. 31-208-RFX	

RD-DR 3206 page 2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[31-208-RFX](#)